



# GLAMPING LODGE

## Luxurious outdoor living

Your guests can escape everyday life in one of our spacious Glamping Lodges with all the comforts they would expect at home, but away from it all.

Our Glamping Lodges come in three different sizes so it's perfect for families and larger groups of friends. And multiple layout styles means it offers flexible accommodation to suit everyone.

Each of our Glamping Lodges comes with a complete kitchen, a stylish bathroom and a master bedroom on the ground floor. Climb the wooden stairs and you'll find a second floor with room for up to four beds. And, after an active day exploring their new surroundings, or if they've simply been busy doing nothing at all, your guests can relax on the veranda, glass in hand and admire the view.

- ✔ Inviding and compact
- ✔ Sturdy wooden beams
- ✔ Multiple layouts possible
- ✔ Long durability

# FLOORPLAN GLAMPING LODGE 38

## Dimensions

Inner tent (ground floor)	38 m <sup>2</sup>	5.4 x 7 m
Mezzanine	23 m <sup>2</sup>	5.4 x 4.2 m
Porch	16 m <sup>2</sup>	5.4 x 3 m
Total surface	54 m <sup>2</sup>	5.4 x 10 m
Footprint	97 m <sup>2</sup>	8.1 x 12 m

## Features

# Guests	up to 6
# Bedrooms	2
Bathroom	Yes
Kitchen	Yes

## Floorplan 3D



## Floorplan 2D



# FLOORPLAN GLAMPING LODGE 49

## Dimensions

Inner tent (ground floor)	49 m <sup>2</sup>	5.4 x 9 m
Mezzanine	23 m <sup>2</sup>	5.4 x 4.2 m
Porch	16 m <sup>2</sup>	5.4 x 3 m
Total surface	65 m <sup>2</sup>	5.4 x 12 m
Footprint	113 m <sup>2</sup>	8.1 x 14 m

## Features

# Guests	up to 8
# Bedrooms	2 (plus box bed)
Bathroom	Yes
Kitchen	Yes

## Floorplan 3D



## Floorplan 2D



# PHOTOS GLAMPING LODGE



# SPECIFICATIONS GLAMPING LODGE

Elements	Colour	Specifications	Technical standards
PVC Roof	Beige Brown Green	UV and flame retardant PVC 650gr/m <sup>2</sup> .  The PVC is easy to clean and meets the stringent European, British and American fire regulations (M2, B1 and DIN 4102 standard).	BS 7837  DIN 4102 – Class B1  M2 Classification NFP 92-503  EN 13501-1 B-s3, d0  Total weight DIN and ISO 2286-2 – 650 gr/m <sup>2</sup>
Canvas inner tent	Beige	Flame retardant and Royal Ten Cate Campshield 420gr/m <sup>2</sup> with the same unique breathability as cotton. In 2009 Ten Cate outdoor Fabrics introduced an innovative fabric with inherently flame retardant properties. The fibers in this fabric provide extra security and protection. It is scorch, glow and spark resistant. Textile material that is flame retardant has an inhibiting effect on the occurrence of fire and slow fire spreading.  The Royal Ten Cate Campshield meets with the strict standards of the European, British and American fire regulations. The Campshield of Ten Cate is designed for year round use (summer-winter). It will remain in perfect condition, in all kind of weather standards for many years and is water and dirt repellent.  The windows are double layer made of mosquito net and transparent PVC. They can be closed with roll downs blends.	BS 7837: 1996  DI N 4102 part 1 – 1998Of Class B2  M2 Classification NFP 92-503 (1995)  CSE RF 1/75/A (1984)  Comfort CPAI 84  Water- and dirt repellent  Weight 420gr/m <sup>2</sup> + 5%
Fixing		The inner tent hanging system is a unique system. It has point loading, so the weight is distributed by multiple fixing points across the surface of the structure.	
Construction		The connectors of the construction are made from 2.9mm hot dipped galvanized steel.  The poles have a dia of 80 or 100cm.	

## Why choose us?

It's all in the detail. Our beautiful, sustainable glamping tents are not mass produced, but are created by a team of specialists with a passion for outdoor living. We personally manage every aspect, from the initial concept and product design, to the sourcing of eco-friendly materials and construction, to quality control. And it doesn't stop there, we provide ongoing service and support, long after you have bought your tent or lodge.

## Interested?

Get in touch to find out more about our tents, or come and see them for yourself. Email us on [sales@yalacanvaslodges.com](mailto:sales@yalacanvaslodges.com) and we'll get right back to you or call us on +31 (0) 527 620 325.

## More info about the materials

[Video about Polycotton Ka46](#)

[Video about Campshield](#)

