



# BELL TENT

## Adventure in the great outdoors

Remember those circular tents in children's storybooks about adventurers and explorers living in the wild? Our classic Bell Tent in khaki canvas brings those childhood tales to life for your guests – but with a little more style and comfort. With space for proper beds, your guests are assured of a good night's sleep after a day of adventuring of their own.

Whether your guests are a family taking the kids away for their first night under the stars, or veteran campers with years of experience, our Bell Tent is ideal. There is enough room for six people and with a height of three metres at its centre, it is light, airy and comfortable for everyone.

It is flexible too: with the option of a detachable-groundsheets, your guests can roll up the sides to create an open-air, covered lounging space for hot summer evenings, bringing the outdoors in! If you have a permanent campsite, you can add a wooden veranda to create additional space.

- ✓ Sides can be rolled-up to create an open-air space
- ✓ Cosy and spacious living area with ideal standing height
- ✓ Perfect for festivals and outdoor activities
- ✓ Easy to set up and takedown



# FLOORPLAN BELL TENT

## Dimensions

Diameter	5 m	
Height	3 m	
Veranda	Optional	
Footprint	56 m <sup>2</sup>	7.5 x 7.5 m

## Features

# Guests	2 - 6
# Bedrooms	1
Bathroom	No
Kitchen	No

## Floorplan 2D



# PHOTOS BELL TENT



# SPECIFICATIONS BELL TENT

Elements	Colour	Specifications	Technical standards
Flame retardant Polyester (FPTC420)	Any color	Flame retardant 420 gr/m <sup>2</sup> . The fibers in this fabric provide extra security and protection. It is scorch, glow and spark resistant. Textile material that is flame retardant has an inhibiting effect on the occurrence of fire and slow fire spreading.	FPTC420 meets the following standards:  Weight 420gr/m <sup>2</sup> + 5% Standared width: 150 cm Tearing strenght: ±10% - Warp: 79N - Weft: 53N Tensile strength: ± 10% - Warp: 2800N/5 cm - Weft: 2232N/5 cm Watercolumn: ≥ 400mm Color fading level: GR6   ISO105B04-1994 Mildewtreated: Level 0   AATCC30-2017 Fireproof level: M2   BS7837-1996
Ground floor flame retardant PVC	Beige	As an option the groundsheet can also be made of UV and flame retardant PVC 650 gr/m <sup>2</sup> .  The PVC is easy to clean and meets the stringent European, British and American fire regulations (M2, B1 and DIN 4102 standard).  The groundsheet can be fixed in the ground with pegs, to prevent the wind from blowing down underneath.	The UV and flame retardant PVC 650 gr/m <sup>2</sup> meets the following standards  BS 7837: 1996 DI N 4102 part 1 – Class B1 M2 Classification NFP 92-503 (1995) EN 13501-1-Bs3.d0 Total weight DIN and ISO 2286-2 – 650gr/m <sup>2</sup>

## Why choose us?

It's all in the detail. Our beautiful, sustainable glamping tents are not mass produced, but are created by a team of specialists with a passion for outdoor living. We personally manage every aspect, from the initial concept and product design, to the sourcing of eco-friendly materials and construction, to quality control. And it doesn't stop there, we provide ongoing service and support, long after you bought your tent or lodge.

## Interested?

Get in touch to find out more about our tents, or come and see them for yourself. Email us on [sales@yalacanvaslodges.com](mailto:sales@yalacanvaslodges.com) and we'll get right back to you or call us on +31 (0) 527 620 325.

