



SUNSHINE

Stylish and robust

The Sunshine is inspired by a classic African safari tent with a robust wooden frame and canvas walls. Whilst we cannot promise that your guests will see herds of wildebeest or the occasional passing lion, we do promise they will have a comfortable stay, with a spacious veranda to take in the views.

The Sunshine provides your guests with all the comfort they need, and it is the ultimate glamping experience.

This canvas lodge is available in three sizes with multiple layouts, which allows you to fill your campsite or holiday park efficiently. The Sunshine can be equipped with a pellet-stove to extend your season, or you can add air-conditioning, to provide your guests with even more comfort during the summer. Add a swing to the veranda for a fun touch.

This lodge can also be used for group accommodation.

- ✓ Solid quality and long-term durability for a strong ROI
- ✓ A classic African safari tent to help you create a traditional glamping site
- ✓ Sturdy wooden beams and fire-retardant canvas walls
- ✓ Multiple layouts are possible, tailored to your needs



FLOORPLAN SUNSHINE 27

Dimensions

Inner tent	27 m ²	5.4 x 5 m
Veranda	16 m ²	5.4 x 3 m
Total surface	43 m ²	5.4 x 8 m
Footprint	81 m ²	8.1 x 10 m

Features

# Guests	4 - 5
# Bedrooms	2
Bathroom	Yes
Kitchen	Yes

Floorplan 3D



Floorplan 2D



FLOORPLAN SUNSHINE 38

Dimensions

Inner tent	38 m ²	5.4 x 7 m
Veranda	16 m ²	5.4 x 3 m
Total surface	54 m ²	5.4 x 10 m
Footprint	97 m ²	8.1 x 12 m

Features

# Guests	4 - 5
# Bedrooms	2
Bathroom	Yes
Kitchen	Yes

Floorplan 3D



Floorplan 2D



FLOORPLAN SUNSHINE 49

Dimensions

Inner tent	49 m ²	5.4 x 9 m
Veranda	16 m ²	5.4 x 3 m
Total surface	65 m ²	5.4 x 12 m
Footprint	113 m ²	8.1 x 14 m

Features

# Guests	6 - 8
# Bedrooms	2 (plus box bed)
Bathroom	Yes
Kitchen	Yes

Floorplan 3D



Floorplan 2D



PHOTOS SUNSHINE



SPECIFICATIONS SUNSHINE

Elements	Colour	Specifications	Technical standards
PVC Roof	Beige Brown Green	UV and flame retardant PVC 650gr/m ² . The PVC is easy to clean and meets the stringent European, British and American fire regulations (M2, B1 and DIN 4102 standard).	BS 7837 DIN 4102 – Class B1 M2 Classification NFP 92-503 EN 13501-1 B-s3, d0 Total weight DIN and ISO 2286-2 – 650 gr/m ²
Flame retardant Polyester (FPTC420)	Khaki	Flame retardant 420 gr/m ² . The fibers in this fabric provide extra security and protection. It is scorch, glow and spark resistant. Textile material that is flame retardant has an inhibiting effect on the occurrence of fire and slow fire spreading.	Weight 420gr/m ² + 5% Standarder width: 150 cm Tearing strenght: ±10% - Warp: 79N - Weft: 53N Tensile strength: ± 10% - Warp: 2800N/5 cm - Weft: 2232N/5 cm Watercolumn: ≥ 400mm Color fading level: GR6 ISO105B04-1994 Mildewtreated: Level 0 AATCC30-2017 Fireproof level: M2 BS7837-1996
KA-46	Khaki	TenCate PolyCotton consists of a perfect blend of 50/50 cotton and polyester. The fibre mixed in the yarn provides a very even performance. The breathable and moisture regulation properties of cotton are complemented by the extra strength and durability of polyester for intensive use, without sacrificing a natural feel.	50% Polyester, 50% cotton Water- and dirtrepellent Width: 205 cm Weight 420 gr/m ² (+/- 5%) Tensile strength Warp (5 cm) 160 daN Weft (5 cm) 120 daN Tearing strength Warp (4,3 cm) 6,0 daN Weft (4,3 cm) 3,5 daN Watercolumn ≥45 cm Colour-weather fastness ≥4
Fixing		The inner tent hanging system is a unique system. It has no point loading, so the weight is equally distributed across the surface of the structure.	
Construction		The connectors of the construction are made from 2.9mm hot dipped galvanized steel. The poles have a dia of 80 or 100mm.	

Why choose us?

It's all in the detail. Our beautiful, sustainable glamping tents are not mass produced, but are created by a team of specialists with a passion for outdoor living. We personally manage every aspect, from the initial concept and product design, to the sourcing of eco-friendly materials and construction, to quality control. And it doesn't stop there, we provide ongoing service and support, long after you bought your tent or lodge.

Interested?

Get in touch to find out more about our tents, or come and see them for yourself. Email us on sales@yalacanvaslodges.com and we'll get right back to you or call us on +31 (0) 527 620 325.

More info about the materials

[Video about Polycotton Ka46](#)

